



DeForest Area School District

500 South Cleveland Street, DeForest, WI 53532 · (608) 842-6500

Standing Orders for DeForest Area School District Nursing Services

1. Use the first aid orders in the WISHeS (Wisconsin Improving Health Services Project) manual with the following additions:
2. Emergency Treatment:
 - a. A student experiencing a severe or life threatening injury, may be transported by ambulance prior to physician authorization.
 - b. Student shall be transported to the nearest medical facility while on field trips.
3. School Exclusion:
 - a. Following Wisconsin Childhood Disease from DHS (Department of Health Services) will be followed unless otherwise directed by the student's physician/healthcare provider.
4. Medication (Non-Prescription):
 - a. "Nonprescription drug products" as defined in Wisconsin State Statute Section 118.29 (2-4) may be dispensed to enrolled students by the Registered Nurses employed by DeForest Area School District (or their designee) at the written request of the student's parent or legal guardian. Medication must be provided in the original manufacturer's package and the package must list the ingredients and recommended therapeutic dose in a legible format.
5. Automated External Defibrillator (AED):
 - a. An AED will be maintained on the premises of DeForest Area School District.
 - b. The AED shall be used in emergency situations warranting its use by individuals specifically trained on the use of the device.
 - c. An emergency response plan and specific protocols for the use of an AED will be maintained by the school district.

DeForest Area School District

Our mission is to provide an excellent education by engaging, challenging, and inspiring all students to pursue their full potential.

Si tiene alguna pregunta, por favor, contactarme en la escuela al número de teléfono que se indica a continuación/abajo. Puede comunicarse en español al teléfono 1-833-611-1664.

Yog koj muaj lus nug, thov hu rau kuv pem lub tsev kawm ntawv thiab tus xov tooj sau saum toj no. Hu 1-833-611-1664 tuaj tiv tauj kuv rau lwm hom lus.

If you have any questions, please contact me at the school and number listed above. Call 1-833-611-1664 to contact me in another language.



6. Hand Sanitizer:

- a. Hand sanitizer containing Ethyl Alcohol may be used to help reduce the amount of bacteria on the skin. Hand sanitizer must be maintained in the original manufacturer's packaging and used per manufacturer's directions, including following the guidelines for accidental ingestion.

7. Wound Care:

- a. Use tap water and soap as needed to clean a wound. If a sink is not available then you can use antiseptic wipes to clean the wound.

8. Tick Removal:

- a. If a tick is found, the student should be sent to the school nurse or health assistant to have it removed promptly.
- b. The school nurse or health assistant will notify the parent of the removal of the tick.
- c. A tick that is embedded into the skin should be referred to the student's physician/health care provider for treatment.
- d. Using fine-tipped tweezers grasp the head of the tick close to the skin.
- e. Firmly and steadily pull the tick straight out of the skin. Do not twist the tick or rock side to side while removing it.
- f. Put the tick in rubbing alcohol to kill it.
- g. Don't use petroleum jelly, hot match, dish soap, etc to remove the tick or kill it.
- h. Wash your hands and the site of the bite with soap and water.
- i. Swab the bite site with isopropyl alcohol.

Student's physician/health care provider should be notified for the following:

- a. Tick embedded underneath the skin.
- b. Part of the tick remains in the skin after attempted removal.
- c. Student develops a rash (especially a red-ring bull's eye rash)
- d. If the area looks infected (increase in redness, warmth, swelling, pain, or oozing drainage)
- e. If the Student develops symptoms such as fever, headache, fatigue, chills, stiff neck or back, or muscle or joint pain.



DeForest Area School District

500 South Cleveland Street, DeForest, WI 53532 · (608) 842-6500

9. Stock Epinephrine

First the nurse/trained staff should:

- Inject epinephrine by auto-injector intramuscularly into the thigh or arm according to the manufacturer recommendations.

Then:

- Immediately call 911 or direct someone else to do so

Note:

Epinephrine auto injectors are available in .3mg dose and 0.15mg. Using two .15mg dose to obtain .3mg dose is permissible.

Dosage: .3mg EpiPen: Student more than 66 pounds
.15 EpiPen Jr.: Student weighing less than 66 pounds

BEFORE administering an epinephrine auto-injector for anaphylaxis one or more of the following symptoms should be present.

- Mouth: Significant swelling of the tongue, lips
- Lung: short of breath, wheezing, repetitive cough
- Heart: Pale, blue, faint, weak pulse, dizzy
- Throat: tight, hoarse, trouble breathing/swallowing
- Skin: Many hives over the body, widespread redness
- Gut: Repetitive vomiting, severe diarrhea
- Other: Feeling something bad is about to happen, anxiety, confusion

If the school nurse is not available, trained personnel should administer auto-injector according to these same guidelines.

Physician Medical Advisor Signature

Date